





NumaView™ software has arrived.




Teledyne Advanced Pollution Instrumentation is pleased to introduce
NumaView™ software: a premier interface for the
T Series product line.

Immediate productivity.


Efficient navigation, a full touchscreen and graphing tools deliver results instantly.



Graphs of zero, span and multi-point calibrations



Real-time graphing of test functions




Plot of gas concentration and stability

Make it personal.


Customize the interface to control what you see and what it brings to your attention.



User configurable home screen




Configurable dashboard for viewing test functions



Operator defined events and warnings

Efficient analysis of data.

Improved data acquisition and logging capabilities for collecting and analyzing data.



NumaView™ software provides sophisticated triggers for initiating data logging, including periodic and conditional. The data can be viewed directly on the display over a selected period of time. Results also can be downloaded onto a USB flash drive or via standard T Series I/O ports.



TELEDYNE
ADVANCED POLLUTION INSTRUMENTATION
Everywhere you look™

9970 Carroll Canyon Road ■ San Diego, CA 92131
Ph. 858-657-9800 Fax 858-657-9816
Email api-sales@teledyne.com

For more information about the Teledyne API family of monitoring instrumentation products, call us or visit our website at:

www.teledyne-api.com

© 2016 Teledyne Advanced Pollution Instrumentation
Printed documents are uncontrolled. SAL000088B
(DCN 7316) 07.20.16

